Ç

NR EUGETTO

HIGH ALTITUDE OBSERVATORY

Boulder, Colorado /

FINAL REPORT

Contract Nonr-393(04)

With the Department of the Navy Office of Naval Research

Project Title: Physics of the Solar Corona

Project Lirector: Dr. Donald E. Billings

18 August 1964

Reproduction in whole or in part is permitted for any purpose of the United States Government

NATIONAL TECHNICAL INFORMATION SERVICE Springfield, Va. 22151

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited



6

GENERAL SUMMARY OF ACHIEVEMENTS

The research carried out under Contract Nonr-393(0b) constituted a continuing ten-year program of coronal study. The only other research program comparably directed toward the corona throughout this period of time was that by Waldmeier in Arosa, Switzerland. In addition, however, many other solar programs, notably radio, rocket, and satellite astronomy, have contributed to our knowledge of the corona. These various studies have interacted with each other to the point that it is impossible to clearly identify the contribution of any one program. In this report, nevertheless, we will attempt to indicate how work under this contract contributed to progress in coronal science during the past decade.

-1-

Our current concepts of the corona were already formulated in a general way at the beginning of the contract period a decade ago. A temperature of approximately one million degrees was recognized, and characteristic density structures had been studied in some detail. Questions remaining unanswered were:

- (1) Was the corona characterized by a single temperature in all parts and at all times in a solar cycle, or were ranges of temperature present?
- (2) If a single temperature described the corona, where, between a few hundred thousand degrees to several million degrees, did this temperature lie?
- (3) If various temperatures were present in the corona, which temperatures best represented which features?
- (4) What are the dynamic properties of the corona?
- (5) How is the corona heated?
- (6) What is the relation of the corona to flares and prominences?
- (7) What, precisely, is the role of a magnetic field in the corona?

We feel that our work under this contract has made significant contributions toward answering these questions.

An achievement early in the contract period was to present evidence in favor of the tentative identification by Elden of the coronal yellow line with Ca XV. Our work stimulated a new evaluation of the problem by Robrlich, Glazer, and Elden, with the result that the identification is now generally accepted. The high ionization potential of Ca XV clearly indicated very high temperatures in active regions of the corona — a conclusion that was first confirmed by our measurements of the width of line profiles in these regions.

Several years . ter rocket and satellite astronomers rediscovered the high-temperature c. - acteristics of coronal condensations. Furthermore, the close association to the found between hot coronal condensations and flares and loop promine c is provided a basis for understanding the enhancements of shorter wave length to ray flux observed in satellite observations during flares.

Our states indicated the existence of a rather wide range of cornel temperature within even small suructures, and percistently indicated that the temperature were a factor of two or more higher than these being given by iorization theory. Our own attempts to explain this discretency were insuecessful, has they stimulated Seaton and his co-workers at University college, London to spend several years on the problem. Their study resulted in discovering one overwhelming importance of dielectronic recombination in the corona, we the extent that when this process is taken into account the ionization theory temperatures are in good agreement with the line profile temperatures. Finally, because of the successful application of dielectronic recombination to the corona, it is currently bein, applied to problems of the photosphere and chromosphere, and even to the terrestrial current

Our studies further indicate that the mucroscopic motion of the corons is remarkably small. This realization has placed severe limits on two ries of the heating of the corona, and is currently providing criteria for 61 writination between one theory and another.

Cur continued interest in the physics of the corona, fortered to frie contract, was primarily respirable for our suggestion to official. The International Astronomical Union that a symbolium of the class corona cold in 1961. It is also responsible for our participation is the result in "Chouderoft Symposium" as on-hours with Sacronente read formating, as in Dr. Roberts as chairman and Dr. Bullings as secretary of the expension and Dr. Bullings as secretary of the expension revealed the rapid evolution underway the same for of the corona, particularly under the stimulus of radio, radar and rabbet astronomy. The resulting "Proceedings" provides a rather in a lighte coronamentation of the symposium, since the most evidualizing ideas used or the informal discussion groups which were reported in the "Indiced of only in a summary form."

No detailed survey of corenal ocience uncorporating the deal operation resent years has been written. Consequently, we have unfortaken the course of a comprehensive book on this subject as a final project and come a limit rough draft of the book is essentially complete. Edition of many originary preparation are being carried out under Grant Bonr-1 1906-35.

Reproduced from best available copy.

Separate Submitters.

W. Tarrey

Times

Distribution: ONR massington (5); Olf restitut destrict to the For internal distribution: Hillings for the form of Roecker, Matson Clinary, AAC Microscope.

PUBLICATIONS

- (1) Dolder, F. P., W. O. Roberts and D. E. Billings, 1954, "Solar Flares and the Yellow Coronal Line", Ap.J., 119, 120.
- (2) Billings, D. E. and J-C. Pecker, 1954, "L'Etude du mouvment spacial dans les protuberances solaires", Comptes Rendus, 238, 169.
- (3) Billings D. E., C. Pecker and W. O. Roberts, 1954, "Determination de l'atome responsable de la raie jaune coronale \$25694.4", Comptes Rendus, 238, 1101.
- (4) Rillings, D. E., C. Pecker and W. O. Roberts, 1954, "Etude de l'elargissement de la rouge coronale dans les .ontres actifs", Comptes Rendus, 238, 1194.
- (5) Billings, D. E., 1954, "Formation of the Sun's Corona", Sky and Telescope, 13, 252.
- (6) Athay, R. G., D. E. Billings, J. W. Evans and W. O. Roberts, 1954, "Emission in the Hydrogen Balmer Lines and Continuum in the Flash Spectrum of the 1952 Total Eclipse at Khartoum, Sudan", Ap.J., 120, 94.

- (7) Dolder, F. P., D. E. Billings and W. O. Roberts, 1954, "Active Region Prominences and the Yellow Coronal Emission Line", Ap.J., 120, 112.
- (8) Billings, D. E., 1954, "Photospheric Magnetic Fields Preceding Other Solar Activity", Ap.J., 120, 184.
- (9) Pecker, C., D. E. Billings and W. O. Roberts, 1954, "Identification of the Yellow Coronal Line", Ap.J., 120, 509.
- (10) Billings, D. E., J. W. Evans, R. H. Cooper and R. H. Lee, 1954, "Ricrophotometer Scans Spectrum Photographs", Electronics, 27, 174.
- (11) Leighton, H. and D. E. Billings, 1955, "Solar Ha Filaments and Geomagnetic Disturbances", Jour. Atmos. and Terr. Phys., 7, 349.
- (12) Billings, D. E. and C. M. Varsavsky, 1955, "Absolute Calibration of the Climax Intensity Scale for Coronal Lines", Zs. f. Astrophys., 38, 160.
- (13) Billings, D. E., S. Hirsch and C. Varsavsky, 1956, "Coronal Temperature Determination from Emission Lines", Ap.J., 123, 532.
- (14) Zirin, H., 1956, "The Helium Equilibrium in Prominences and Chromosphere", Ap.J., 123, 536.

- (15) Ziriu, H., 1956, "The Temperature and Equilibrium of Hydrogen in Solar Prominences", Ap.J., 124, 451.
- (16) Billings, D. E., 1957, "Evidence of Closed Flux Loops in the Solar Atmosphere", P.A.S.P., 69, 162.
- (17) Billings, D. E., 1957, "Profile of the Yellow Coronal Line, 5694A", Ap.J., 125, 817.
- (18) Zirin, H., 1957, "On the Enhancement of Certain Helium Lines in the Limb Flare of June 24, 1956", Ap.J., 126, 159.
- (19) Billings, D. E. and R. H. Cooper, 1957, "Height Gradient of the Emission Corona", Zs. f. Astrophys., 43, 218.
- (20) Newkirk, G., Jr., 1957, "Doppler Ections in the Corona", Ann. D'Ap., 20, 3.27.
- (21) Zirin, H., 1958, "The Calculation of Opacities in Stellar Interiors", Ap.J., 128, 342.

THE PROPERTY OF THE PROPERTY O

- (22) Schwartz, S. B. and H. Zirin, 1958, "Ionization of Iron in a Hot Plasma", Phys. of Fl., 2, 94.
- (23) Bretz, H. C. and D. E. Billings, 1959, "Analysis of Emission Corona 1942-1955 from Climax Spectrograms", Ap.J., 129, 134.
- (24) Tandberg-Hanssen, E., W. Curtis and K. Watson, 1959, "The Emission of He I 10830 during the Great Flare of August 26, 1958", Ap.J., 129, 238.
- (25) Tandberg-Hanssen, E. and H. Zirin, 1959, "Physical Conditions in Limb Flares and Active Prominences. I. The Loop Prominences of November 12 and 22, 1956", Ap.J., 129, 408.
- (26) Zirin H., 1959, "Physical Conditions in Linb Flares and Active Prominences. II. A Remarkable Limb Flare, December 18, 1956", Ap.J., 129, 414.
- (27) Roberts, W. O. and D. E. Billings, 1959, "Investigation de la corona y L-otuberancias solares con el coronografo", Aster., 109, 18.
- (28) Tandberg-Hanssen, E., 1959, "Physical Conditions in Limb Flares and Active Prominences. III. The Difference Between the Surge and Loop Prominences of December 19, 1956", Ap.J., 130, 202.
- (29) Billings, D. E., 1959, "Velocity Fields in a Coronal Region with a Possible Hydromagnetic Interpretation", Ap.J., 130, 215.

- (30) Zirin, H. and S. B. Schwartz, 1959, "Collisional Ionization Cross-Section for Fe XIV in the Solar Corona and the Coronal Electron Temperature", Ap.J., 130, 384.
- (31) Billings, D. E., 1959, "Distribution of Matter with Temperature in the Emission Corona", Ap.J., 130, 961.
- (32) Zirin, H. and E. Tandberg-Hanssen, 1960, Physical Conditions in Limb Flares and Active Prominences. IV. Comparison of Active and Quiescent Prominences", Ap.J., 131, 717.
- (33) Billings, D. E. and K. H. Louman, 1960, "Study of Flare-Surge Event of Sept. 7, 1958", Australian Jour. of Phys., 13, 606.
- (34) Gantvoort, R. C. and D. E. Billings, 1960, "Prominence Characteristics in Regions of Bright Coronal Emission", Ap.J., 132, 213.
- (35) Cooper, R. H. and D. E. Billings, 1962, "A Long Lived Polar Coronal Region", Zs. f. Astrophys., <u>55</u>, 24.
- (36) Billings, D. E. and R. C. Lehman, 1962, "Line-width Temperatures of Distinct Coronal Features", Ap.J., 136, 258.
- (37) Billings, D. E., 1962, "Temperature Keasurements in the Solar Corona", Temperature-Its Keasurement and Control in Science and Industry, 2, 713.

nenderied entress enterence enterenc

- (38) Trotter, D. E. and D. E. Billings, 1962, "Longitudinal Variation of a Zone of Solar Activity", Ap.J., 136, 1140.
- (39) Billings, D. E. and C. G. Lilliequist, 1963, "Coronal Temperature Gradient and the Solar Wind", Pr.J., 137, 16.
- (40) Billings, D. E., 1963, "Spectroscopic Limitation on Coronal Heating Mechanisms", Ap.J., 137, 592.
- (41) Billings, D. E., 1964, "The Shape of Coronal Line Profiles", Ap.J., 139, 710.

(42) Billings, D. E., N. K. Williamson and C. H. Fullerton, "Coronal Emission in the Vicinity of Quiescent Prominences", Ap.J., (In Press).